



TECHNICAL PAINT SERVICES

CONTRACT GRADE CHLORINATED RUBBER SWIMMING POOL PAINT AG148

Features:

A fast drying, contract grade Chlorinated Rubber Swimming Pool Paint which has a good, cleanable surface with resistance to mild chemicals. Ideally suited to finishing concrete swimming pools and garden ponds where budget is an issue. It may be applied to concrete that has been newly laid and allowed to weather for 3 - 4 weeks. This product will give 2 - 3 years life, subject to local weather conditions and maintenance.

Availability:

In Light Blue, Mid Blue & White. 5 Litre containers only. A non-slip grade is also available. Other colours can be made on an individual basis in minimum quantities of 50 Litres.

Volume Solids:

51% ± 3% (BS 3900 Part A10).

Preparation:

The substrate must be thoroughly clean, dry and free from dust and grease.

Application:

Please read our Guide on How to Paint a Swimming Pool before commencing work. This may be downloaded from our web site FOC.

Application by brush or short pile roller. For new concrete, it is recommended that a first coat is applied thinned up to 10% by volume with UTR112 Universal Synthetic Thinners, followed by two coats as necessary, un-thinned. Allow to dry for a full 3 - 5 days before filling with water. For fish ponds, it is important that after finishing, the pond is filled, allowed to stand for 10 days, drained and refilled before fish are introduced. For more information, please contact our Technical Team on 0845 230 1244.

Coverage:

40 sq metres per 5 Litres per coat.

Drying:

Touch dry:	30 - 40 minutes @ 20°C. 3 hours @ 10°C.
Recoatable:	8 hours @ 20°C. 12 hours @ 10°C.

Note:

Although water resistant after 2 hours @ 20°C, it is advisable to allow overnight drying before use.

The foregoing information is given in good faith, based upon tests and experience. It should be noted that recommendations are made without guarantee, as the use of this product is beyond our control.
See Standard Conditions of Sale.

Before using any product, please read the appropriate Material Safety Data Sheet and carry out a full risk assessment for the intended use and method of application.

27 SOUTHCOTE ROAD BOURNEMOUTH BH1 3SH Tel 0845 230 1244 Fax 0845 230 1255
Email enquiries@technicalpaintservices.co.uk www.technicalpaintservices.com

Technical Paint Services is the trading name of Neatcross Ltd. Registered Office as above. Company No: 1570359.