



TECHNICAL PAINT SERVICES

WBPS72 WATER BASED CLEAR OVERCOAT FOR PHOSPHORESCENT

Features:

A water based clear varnish for use over WBP72 Phosphorescent Green as a protective coating to delay colour degradation.

Availability:

5, 2.5 and 1 Litre containers.

Volume Solids:

60% ± 3% (BS 3900 Part A10).

Preparation:

The surface should be thoroughly clean, dry and free from dust and grease.

Application:

Brush or roller. Supplied ready for use. Do not dilute. Apply two coats over Phosphorescent Finish.

Coverage:

Approximately 40 - 50 sq metres per 5 Litres depending on porosity of substrate.

Drying:

Touch dry: 30 minutes @ 20°C.

Hard dry & recoatable: 2 hours @ 20°C.

Note:

Thorough drying is indicated by the original opaque appearance becoming clear.

The foregoing information is given in good faith, based upon tests and experience. It should be noted that recommendations are made without guarantee, as the use of this product is beyond our control.

See Standard Conditions of Sale.

Before using any product, please read the appropriate Material Safety Data Sheet and carry out a full risk assessment for the intended use and method of application.